Welcome to the Monthly Webinar Series

Maximizing Income and Efficiencies for Urology Practices

Free to all PRS Network Customers

12301 Grant St. #100 Thornton, CO 80241 800.972.9298 Fax 303.534.0577 www.prsnetwork.com



Introductions

Moderator:

Scott Painter

Presenters:

Mark Painter, CPMA, MBSU



Format

Webinar Presentation
Please Submit Question Via Chat
Webinar is Being Recorded



Today's Webinar

E/M Early Payer Interpretations and Documentation Hints

Open Q and A



E&M - Time

- Distinct time spent by <u>physician and other qualified health professional</u> for the visit on the E/M encounter on the date of service
- Rule update rule and proposed rule address Shared/Split visit technicalities
- No requirement for 50% to be spent in counseling and/or coordination of care
- Document time spent as total and include any relevant clinical information.



Shared/Split Visits Medicare 2021

 https://www.cms.gov/files/document/enf-instruction-splitshared-critical-care-052521-final.pdf



■ TIME				
Established Patient	99212	99213	99214	99215
New Patient	99202	99203	99204	99205
	Level 2	Level 3	Level 4	Level 5

Definition of time					
New Patient	15 - 29 30 - 44	45 - 59	60 - 74		
Established Patient	10 - 19 20 - 29	30 - 39	40 - 54		
99417 - Prolonged Service	15 Minutes				



Medical Decision Making ■ Problems / Complexity **CPT® Definition Summary** CPT® Says Pocketcard Examples Self-limited or Minor Straightforward Cold . Insect bite . Minor testicle trauma . Minor injury A problem that runs a definite and prescribed course, is transient in nature, and is not likely to permanently expected to resolve w/o intervention alter health status. Low 2+ P Problem with an expected duration of at least a year or until the death of the patient • Chronic conditions treated Low regardless of stage or severity changes • 'Stable' is the specific treatment goals for patient • Unmet, unchanged Stable BPH . Controlled diabetes . Hypertension . Well Stable Chronic Illness treatment goals with no short -term threat to life or function are not stable . Risk of morbidity without treatment controlled cataract 0 Moderate Recent/new short-term problem with low risk of morbidity of treatment considered Treatment with little to no Cystitis . Allergic rhinitis . Simple sprain. risk of mortality • Expect full recovery without functional impairment • Acute uncomplicated illness, normally Acute, Uncomplicated Low self-limited/minor, not resolving, requiring treatment Acutely worsening, poorly controlled / progressing chronic illness. Intent to control progression requiring Chronic w/ Uncontrolled diabetes . BPH not stable . Poorly controlled additional supportive care, attention to side effects • Consideration of hospitalization not required. Moderate exacerbation A problem in the differential diagnosis that represents a condition likely to result in a high risk of morbidity Lump in prostate • Lump in breast • Mass in Kidney • Undiagnosed new Moderate Lung nodule . Hematuria Acute illness with Minor Illness causing systemic symptoms with high risk of morbidity without treatment • General systemic or Pyelonephritis • pneumonitis • colitis • illness with systemic Moderate systemic symptom single system symptoms treated to alleviate symptoms, shorten illness, prevent complications general symptoms such as fever, body aches or fatigue Extensive injury requiring treatment and evaluation of body systems not directly part of the injured organ • Acute complicated Head injury with brief loss of consciousness. • Renal trauma Moderate Ttreatment options are multiple and/or associated with risk of morbidity injury Chronic w/ severe The Chronic illness with severe exacerbation, progression or side effects of treatment with significant risk of High Recurrent pyelonephritis with exacerbation • Chemotherapy • exacerbation morbidity • May require hospital level of care. Acute myocardial infarction • Pulmonary embolus • severe Acute or chronic that respiratory distress • Progressive severe rheumatoid arthritis • Acute illness with systemic symptoms, acute complicated injury, or chronic illness / injury with exacerbation, poses a threat to life High Psychiatric illness with potential threat to self or others • progression or side effects of treatment posing near-term threat to life or bodily function without treatment. or bodily function Peritonitis • Acute renal failure • abrupt change in neurologic ā ■ Amount / Complexity of Data Risk CPT® Says Pocketcard **CPT®** Definition Summary CPT® Says Pocketcard Examples Review of note(s) Straightforward P · Review of unique test (ea) Minimal risk of morbidity from 0 - 1 Category 1 Rest Order of unique test (ea) additional diagnostic testing or Straightforward Minimum Lab test w/ venipuncture Assessment requiring an independent historian(s) treatment Ultrasound Review of note(s) Low Review of unique test (ea) Category 1 Order of unique test (ea) Low risk of morbidity from OTC drugs Assessment requiring an independent historian(s) additional diagnostic testing ■ Minor surgery w/o risk or treatment Superficial needle bx Review of note(s) Moderate · Lab test arterial Category 1 Review of unique test (ea) Order of unique test (ea) Assessment requiring an independent historian(s) Moderate risk of morbidity from Category 2 • Independent interpretation of a test performed by other qualified Rx management additional diagnostic testing or Moderate Moderate ■ Minor surgery w/ risk treatment Discussion of management or test interpretation with other qualified Category 3 Major Surgery w/o risk Dx/Rx limited social Review of note(s) Review of unique test (ea) 3 or More Category 1 Order of unique test (ea) Rx therapy w/ monitoring High risk of morbidity from Assessment requiring an independent historian(s) Major surgery emergent or w/ risk additional diagnostic testing or Hiah treatment Category 2 • Independent interpretation of a test performed by other qualified DNR/de-escalate Category 3 • Discussion of management or test interpretation with other qualified preparing to see the patient (eg, review of tests) ordering medications, tests, or procedures · documenting clinical information in the health record activities, when obtaining and/or reviewing separately obtained history referring and communicating with other health care professionals independently interpreting results & communicating performed (and not performing a medically appropriate examination and/or evaluation documenting clinical information in the electronic or other health results to the patient/family/caregiver

reported separately) • counseling and educating the patient/family/caregiver

k.com

298

care coordination

This contains ePHI. Treat appro

Office or Other Outpatient

 Level 2
 Level 3
 Level 4
 Level 5

 New Patient
 99202
 99203
 99204
 99205

 Established Patient
 99212
 99213
 99214
 99215

 99211 - Nursing Visit Only

■ **Hx AND PE** Document as Medically Necessary

TIME Definition of time New Patient 15 - 29 30 - 44 45 - 59 60 - 74 Established Patient 10 - 19 20 - 29 30 - 39 40 - 54 99417 - Prolonged Service 15 Minutes


MEDICAL DECISION MAKING	2 Out of 3 Elements		Part 1	
ELEMENT I - Number of Problems				
Self-limited or Minor	I	2+		
Stable Chronic Illness			2+	
Acute, Uncomplicated		+		
Chronic w/ exacerbation				
Undiagnosed new				
Acute illness with systemic			+	
symptom				
Acute complicated injury				
Chronic w/ severe				
exacerbation				
Acute or chronic that				1+
poses a threat to life or				
bodily function				

Office or Other Outpatient

 Level 2
 Level 3
 Level 4
 Level 5

 New Patient
 99202
 99203
 99204
 99205

 Established Patient
 99212
 99213
 99214
 99215



	CPT® Definition Summary	CPT® Says	Pocketca	rd Examples
Self-limited or Minor	A problem that runs a definite and prescribed course, is transient in nature, and is not likely to permanently alter health status.	Straightforward Low	2+	Cold • Insect bite • Minor testicle trauma • Minor injury expected to resolve w/o intervention
Stable Chronic Illness	Problem with an expected duration of at least a year or until the death of the patient • Chronic conditions treated regardless of stage or severity changes • 'Stable' is the specific treatment goals for patient • Unmet, unchanged treatment goals with no short -term threat to life or function are not stable • Risk of morbidity without treatment is significant	Low Moderate	2+	Stable BPH • Controlled diabetes • Hypertension • Well controlled cataract
Acute, Uncomplicated	Recent/new short-term problem with low risk of morbidity of treatment considered Treatment with little to no risk of mortality Expect full recovery without functional impairment Acute uncomplicated illness, normally self-limited/minor, not resolving, requiring treatment	Low	1+	Cystitis • Allergic rhinitis • Simple sprain.
Chronic w/ exacerbation	Acutely worsening, poorly controlled / progressing chronic illness. Intent to control progression requiring additional supportive care, attention to side effects • Consideration of hospitalization not required.	Moderate	1+	Uncontrolled diabetes • BPH not stable • Poorly controlled hypertension
Undiagnosed new	A problem in the differential diagnosis that represents a condition likely to result in a high risk of morbidity without treatment	Moderate	1+	Lump in prostate • Lump in breast • Mass in Kidney • Lung nodule • Hematuria
Acute illness with systemic symptom	Minor Illness causing systemic symptoms with high risk of morbidity without treatment • General systemic or single system symptoms treated to alleviate symptoms, shorten illness, prevent complications	Moderate	1+	Pyelonephritis • pneumonitis • colitis • illness with systemic general symptoms such as fever, body aches or fatigue
Acute complicated injury	Extensive injury requiring treatment and evaluation of body systems not directly part of the injured organ • Ttreatment options are multiple and/or associated with risk of morbidity	Moderate	1+	Head injury with brief loss of consciousness. • Renal trauma
Chronic w/ severe exacerbation	The Chronic illness with severe exacerbation, progression or side effects of treatment with significant risk of morbidity • May require hospital level of care.	High	1+	Recurrent pyelonephritis with exacerbation • Chemotherapy •
Acute or chronic that poses a threat to life or bodily function	Acute illness with systemic symptoms, acute complicated injury, or chronic illness / injury with exacerbation, progression or side effects of treatment posing near-term threat to life or bodily function without treatment.	High	1+	Acute myocardial infarction • Pulmonary embolus • severe respiratory distress • Progressive severe rheumatoid arthritis • Psychiatric illness with potential threat to self or others • Peritonitis • Acute renal failure • abrupt change in neurologic status



Data Types

RED:

- Any test, diagnostic procedure or image for which the interpretation is reported separately by the group.
- Tests that were ordered at a previous visit (not part of a standing order).
- Tests that are included in a medical record reviewed cannot be counted separately but instead included as a part of the single Data point for record review.



Data Types

Green:


- Any data that was obtained, interpreted and billed by another source outside of your organization regardless of the date reported.
- Tests ordered that will be provided and billed by another health care provider.
- Tests used in MDM that were not interpreted by the QHP and separately reported
- Tests used in MDM that do not have an Interpretation Component (ie. UA, PVR, PSA)
- Tests results used for MDM that were ordered outside of an E/M visit or were the result of a standing order.
- Tests Ordered at a previous visit provided by a different Health Care provider, which are separately interpreted.



Amou	nt / Complexity of Data	CPT® Says P	ocketcard
Category 1	 Review of note(s) Review of unique test (ea) Order of unique test (ea) 	Straightforward	0 - 1
Category 1	 Review of note(s) Review of unique test (ea) Order of unique test (ea) 	Low	2
	Assessment requiring an independent historian(s)		1
Category 1	 Review of note(s) Review of unique test (ea) Order of unique test (ea) Assessment requiring an independent historian(s) 	Moderate	3 or More
Category 2	 Independent interpretation of test performed by other professional 		
Category 3	■ Discussion of management or test interpretation w/ qualified professional		
Category 1	 Review of note(s) Review of unique test (ea) Order of unique test (ea) Assessment requiring an independent historian(s) 	High	3 or More
Category 2	 Independent interpretation of test performed by other professional 		1
Category 3	Discussion of management or test interpretation w/ qualified professional		I
	Includes these Prenaring to see the natient (eg_review of tests)		Ordering med

PRSNetwork.com 800-972-9298







Medicare Weblinks

- NGS Medicare
- Noridian
- Palmetto
- Medicare MLN
- Medicare Coverage Manual



Private Payer Weblinks

- UHC
- Anthem CA
- Anthem OH 1
- Anthem OH 2
- BCBS TX



Q and A

